

U.S. PRODUCTS



828-283-1999

Johnson
Wholesale

Order Today from
www.johnson-wholesale.com

QUALITY MADE IN THE USA



USPRODUCTS.COM



360.450.2712



PAGE INDEX

COBRA SERIES

05-10008-002	Cobra 8.0 220 - Heated, Dual Vac, Dual Cord
05-10009-002	Cobra 10.0 220 - Heated, Dual Vac, Dual Cord
05-10009-SV1	Cobra 10.0 220 - Non-Heated, Single Vac, Single Cord
05-10009-004	Cobra MAX 500 - Heated, Dual Vac, Dual Cord
05-10009-005	Cobra MAX 500 - Non-Heated, Single Vac, Single Cord
05-10008-EP1	Cobra Pro Start 8.0 120 Package - Heated, Single Vac, Single Cord
05-10008-AD1	Cobra Dirt Slayer 8.0 120 Package - Heated, Single Vac, Single Cord
05-10020-006	Cobra Mini 750 - Heated, Single Vac, Single Cord
05-10020-005	Cobra Mini 750 - Non-Heated, Single Vac, Single Cord

NEPTUNE SERIES

05-10001-001	Neptune 120 - Heated, 5.7 Single Vac, Single Cord
05-10014	Neptune 220 - Heated, 5.7 Dual Vac, Dual Cord
05-10004-HP1	Neptune 220 Contractors Special - Heated, 5.7 Single Vac, Single Cord
05-10004-CP1	Neptune 220 Contractors Special - Non-Heated, 5.7 Single Vac, Single Cord
05-10015	Neptune 500 - Heated, 5.7 Dual Vac, Dual Cord - Machine Only

PEGASUS SERIES

05-10037	Pegasus Pro 500 - Heated, 5.7 Dual Vac, Dual Cord
05-10038	Pegasus Pro 500 - Non-Heated, 5.7 Dual Vac, Dual Cord
05-10039	Pegasus Pro 500 - Non-Heated, 5.7 Single Vac, Single Cord
05-10036	Pegasus 1200 - Non Heated, 5.7 Dual Vac, Dual Cord
05-10040-P1	Pegasus Platinum 1350- Non Heated, 5.7 Dual Vac, Dual Cord

KRAKEN

05-10035-001	Kraken Flood Pumper - 6.6 Dual Vac
--------------	------------------------------------

WANDS & HARD SURFACE TOOLS

05-10026-001	Revolver XP Hard Surface Tool
05-10030	Sharp Shooter 13" Extractor Wand, Two Spray Jets
05-10031	Sharp Shooter 16" Extractor Wand, Four Spray Jets, Diameter 2"
05-10031-002	Sharp Shooter 16" (FEW) Flood Extractor Wand, Diameter 2"
05-10024-003	Trident 13" Extractor Wand, Two Spay Jets
05-10024-004	Trident 13" (FEW) Flood Extractor Wand
05-10022	Trident 4" (UPH) Upholstery Wand



COBRA SERIES

COBRA 8.0 220H

The Cobra 8.0 is a powerful, portable, and compact heated extractor designed for carpet, upholstery, and auto detailing, where agility is a top priority. This lightweight favorite is exceptionally easy to maneuver, offering the professional-grade performance of a larger machine in a streamlined frame. Featuring a 220 PSI on-demand pump and dual 5.7 2 stage motors for maximum recovery and dry times. Purchase the Cobra 8.0 as a standalone unit or as a complete package with the Trident Wand 13" and 15' Hose Set.

MACHINE SPECIFICATIONS

VACUUM:	DUAL 5.7 2 STAGE MOTORS 145" LIFT, 97 CFM
HEATER:	1750W
PUMP:	220 PSI ON DEMAND
SOLUTION:	8 GALLON
RECOVERY TANK:	8 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN GATE
WHEELS:	3" FRONT CASTORS, 8" REAR NON-MARKING
AMP DRAW:	15 AMP PER CORD
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	70LBS
MACHINE DIMENSIONS:	32" L X 19" W X 27" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10008-002
ITEM #: MACHINE, WAND, HOSE	05-10008-P2



USPRODUCTS.COM



360.450.2712



COBRA SERIES

COBRA 10.0 220H

The Cobra 10.0H is a powerful, portable, and lightweight extractor that delivers 1750W of heat ensuring optimal soil breakdown for deep cleaning carpets and upholstery. This unit is designed to maneuver easily and navigate tight spaces with a complete, compact frame built for effortless transport. The Cobra 10.0H delivers the performance of a larger system, featuring a 220 PSI on-demand pump, dual 3-stage motors, and 180" of lift for maximum recovery and fast drying times. Buy this extractor on its own or in a package with the Trident Wand 13" and 15' Hose Set.

MACHINE SPECIFICATIONS

VACUUM:	DUAL 5.7 3 STAGE MOTORS 180" LIFT 107 CFM
HEATER:	1750W
PUMP:	220 PSI ON DEMAND
SOLUTION:	10 GALLON
RECOVERY TANK:	10 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	3" FRONT CASTORS, 8" REAR NON-MARKING
AMP DRAW:	15 AMP PER CORD
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	82LBS.
MACHINE DIMENSIONS:	34" L X 19" W X 35" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10009-002
ITEM #: MACHINE, WAND, HOSE	05-10009-P2



USPRODUCTS.COM



360.450.2712



COBRA SERIES

COBRA 10.0 220C

The Cobra 10.0 220C is a powerful, portable, and lightweight non-heated extractor designed for high-performance cleaning. A long time favorite of professional cleaners, this unit is compact and easy to maneuver, making it ideal for navigating tight spaces and difficult to reach areas. It combines professional power and fast drying times into a convenient, complete single-cord system. This extractor features a 220 PSI on-demand pump, dual 5.7 3-stage motors, and delivers 180" of lift for maximum recovery and drying times. Buy the Cobra 10.0 on its own or in a package with the Trident Wand 13" and 15' Hose Set.

MACHINE SPECIFICATIONS

VACUUM:	DUAL 5.7 3 STAGE MOTORS 180" LIFT 107 CFM
PUMP:	220 PSI ON DEMAND
SOLUTION:	10 GALLON
RECOVERY TANK:	10 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	3" FRONT CASTORS, 8" REAR NON-MARKING
AMP DRAW:	15 AMP
POWER CORD:	SINGLE CORD 25' 12/3
WEIGHT:	82LBS.
MACHINE DIMENSIONS:	34" L X 19" W X 35" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10009-SV1
ITEM #: MACHINE, WAND, HOSE	05-10009-SV1P



USPRODUCTS.COM



360.450.2712



COBRA SERIES

COBRA MAX 500H

The Cobra Max 500H is a powerful, portable, and lightweight extractor that delivers 1750W of heat ensuring optimal soil breakdown for deep cleaning carpets and upholstery. This unit is designed to maneuver easily and navigate tight spaces with a complete, compact frame built for effortless transport. The Cobra Max packs power into a portable frame, featuring an adjustable 50-500 PSI range for customized cleaning. Featuring dual 5.7" 3-stage motors, it generates 180" of lift and 107 CFM to efficiently pull moisture from fibers, maximizing recovery and accelerating drying times. Purchase this machine on its own or as a package with the Sharp Shooter 13" Wand and 25' Hose Set.

MACHINE SPECIFICATIONS

VACUUM:	DUAL 5.7 3 STAGE MOTORS 180" LIFT 107 CFM
HEATER:	1750W
PUMP:	50-500 PSI ADJUSTABLE
SOLUTION:	10 GALLON
RECOVERY TANK:	10 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	3" FRONT CASTORS, 8" REAR NON-MARKING
AMP DRAW:	15 AMP PER CORD
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	95LBS
MACHINE DIMENSIONS:	32" L X 18" W X 35" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10009-004
ITEM #: MACHINE, WAND, HOSE	05-10009-5P



USPRODUCTS.COM



360.450.2712

COBRA SERIES

COBRA MAX 500C

The Cobra Max 500C non-heated extractor delivers maximum performance. This unit is the choice for professionals who need a powerful, mobile, single-cord system for cold water extraction. It provides an impressive 180" of lift and 107 CFM via a high-performance single 3-stage vacuum motor, with adjustable cleaning pressure ranging from 50–500 PSI for optimal results on any surface. Engineered to be highly maneuverable and easy to transport, it brings heavy-duty cleaning power to any job site. Purchase this machine on its own or as a package with the Sharp Shooter 13" Wand and 25' Hose Set.

MACHINE SPECIFICATIONS

VACUUM:	SINGLE 3 STAGE MOTOR 180" LIFT, 107 CFM
PUMP:	50-500 PSI ADJUSTABLE
SOLUTION:	10 GALLON
RECOVERY TANK:	10 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	3" FRONT CASTORS, 8" REAR NON-MARKING
AMP DRAW:	15 AMP
POWER CORD:	SINGLE CORD 25' 12/3
WEIGHT:	95LBS
MACHINE DIMENSIONS:	32" L X 19" W X 35" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10009-005
ITEM #: MACHINE, WAND, HOSE	05-10009-CP





COBRA SERIES

PRO START 8.0 120C

The Pro Start 8.0 gives startup professionals the boost they need to launch and grow their business with confidence. This affordable, professional grade extractor is lightweight and easy to maneuver, making it the perfect choice for those who need high powered performance and portability. Engineered for efficiency, the Pro Start 8.0 allows you to navigate spaces with ease while delivering fast, reliable results. Each unit comes as a complete starter package, including a 13" Trident Wand and a 15' hose set, everything needed for professional level results right out of the box.

MACHINE SPECIFICATIONS

VACUUM:	SINGLE 5.7 3-STAGE MOTOR 137" LIFT, 107 CFM
PUMP:	120 PSI ON DEMAND, DIAPHRAGM
SOLUTION:	8 GALLON
RECOVERY TANK:	8 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	3" FRONT CASTORS, 8" REAR NON-MARKING
AMP DRAW:	15 AMP
POWER CORD:	SINGLE CORD 25' 12/3
WEIGHT:	72LBS
MACHINE DIMENSIONS:	32" L X 19" W X 27" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE, WAND, HOSE	05-10008-EP1



USPRODUCTS.COM



360.450.2712



COBRA SERIES

DIRT SLAYER 8.0 120H

The Dirt Slayer is a lightweight, maneuverable, and powerful extraction system built for the high demands of professional detailing. Specifically designed for auto, truck, and RV detailing, it delivers fast, deep-cleaning performance. Featuring instant high heat and superior water recovery, the Dirt Slayer significantly reduces drying times and supports continuous operation allowing you to service more vehicles per day with maximum efficiency. Each unit comes as a complete package, including a 4" Upholstery Hand Tool and a 15' hose set, providing everything you need for professional level results.

MACHINE SPECIFICATIONS

VACUUM:	SINGLE 3-STAGE MOTOR 120" LIFT, 107 CFM
HEATER:	1000W
PUMP:	120 PSI ON DEMAND, DIAPHRAGM
SOLUTION:	8 GALLON
RECOVERY TANK:	8 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	3" FRONT CASTORS, 8" REAR NON-MARKING
AMP DRAW:	20 AMP
POWER CORD:	SINGLE CORD 25' 12/3
WEIGHT:	69LBS
MACHINE DIMENSIONS:	32" L X 19" W X 27" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE, HAND TOOL, HOSE	05-10008-AD1



USPRODUCTS.COM



360.450.2712



COBRA SERIES

COBRA MINI 750H

The Cobra Mini 750H Heated Spotter offers the perfect balance of heat and portability. Designed for auto detailing, upholstery, and professional cleaning specialists who demand high performance in a compact frame, this unit weighs just 24 lbs, making it exceptionally lightweight and easy to maneuver. This heated system utilizes a powerful 2-stage vacuum motor to break down and extract tough, deep set spots with ease. Its streamlined design includes a built-in caddy to keep your solutions and tools organized and ready for transport. The Cobra Mini 750H is available as a standalone unit or as a complete package featuring a 4" Trident (UPH) Upholstery Tool and a 10' hose set.

MACHINE SPECIFICATIONS

VACUUM:	SINGLE 2 STAGE MOTOR 95 CFM, 85" LIFT
HEATER:	750W
PUMP:	55 PSI OSCILLATING PUMP
SOLUTION:	2.2 GALLONS
RECOVERY TANK:	2.5 GALLONS
SHUT OFF:	FLOAT SYSTEM
DRAIN:	DRAIN SPOUT
WHEELS:	1 & 7/8 CASTORS
AMP DRAW:	15 AMP
POWER CORD:	SINGLE CORD 14/3
WEIGHT:	25LBS
MACHINE DIMENSIONS:	21" L X 12" W X 31" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10020-006
ITEM #: MACHINE, WAND, HOSE	05-10020-P5



USPRODUCTS.COM



360.450.2712



COBRA SERIES

COBRA MINI 750C

The Cobra Mini 750C Non-Heated Spotter is designed to impress even the most demanding auto detailing, upholstery, and professional cleaning specialists. Weighing just 24 lbs, this lightweight and highly maneuverable unit is built for ultimate agility. Featuring a powerful single 2-stage vacuum motor designed to remove tough, deep set spots with exceptional performance. For added convenience, the integrated caddy keeps your tools and cleaning solutions organized and ready for transport. The Cobra Mini 750C is available as a standalone machine or as a complete package with a 4" Trident (UPH) Upholstery Tool and a 10' hose set.

MACHINE SPECIFICATIONS

VACUUM:	SINGLE 2 STAGE MOTOR 95 CFM, 85" LIFT
PUMP:	55 PSI OSCILLATING PUMP
SOLUTION:	2.2 GALLONS
RECOVERY TANK:	2.5 GALLONS
SHUT OFF:	FLOAT SYSTEM
DRAIN:	DRAIN SPOUT
WHEELS:	1 & 7/8 CASTORS
AMP DRAW:	15 AMP
POWER CORD:	SINGLE CORD 14/3
WEIGHT:	24LBS
MACHINE DIMENSIONS:	21" L X 12" W X 31" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10020-005
ITEM #: MACHINE, WAND, HOSE	05-10020-P6



USPRODUCTS.COM



360.450.2712



NEPTUNE SERIES

Neptune 120H

The Neptune 120H professional grade portable extractor features a single 5.7 3-stage vacuum motor in a lightweight, easy to use design. Built for contractors, its 120 PSI on demand pump combined with 1000W of instant heat delivers responsive, deep-cleaning performance with 120" of lift. Purchase the Neptune 120H on its own or as a complete package with the Trident Wand 13" and a 15' hose set.

MACHINE SPECIFICATIONS

VACUUM:	SINGLE 5.7 3 STAGE MOTOR 120" LIFT 107 CFM
HEATER:	1000W
PUMP:	120 PSI ON DEMAND, DIAPHRAGM
SOLUTION:	15 GALLON
RECOVERY TANK:	15 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	20 AMP
POWER CORD:	SINGLE CORD 25' 12/3
WEIGHT:	98LBS
MACHINE DIMENSIONS:	32" L X 23" W X 36" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10001-001
ITEM #: MACHINE ONLY, WAND, HOSE	05-10001-P2



USPRODUCTS.COM



360.450.2712



NEPTUNE SERIES

NEPTUNE 220H

The Neptune 220H is a professional grade extractor featuring dual 5.7 2-stage motors that deliver powerful, responsive, and deep heated cleaning. Lightweight and easy to use, this unit is designed to maximize efficiency and maneuverability on every job. The Neptune's 1750-watt instant heat is paired with 220 PSI and 145" of lift to clean surfaces thoroughly while promoting significantly faster drying times. The Neptune 220H is available as a standalone extractor or as a complete package featuring the Trident Wand 13" and a 15' hose set.

MACHINE SPECIFICATIONS

VACUUM:	DUAL 5.7 2 STAGE MOTORS 145" LIFT 97 CFM
HEATER:	1750W
PUMP:	220 PSI ON DEMAND, DIAPHRAGM
SOLUTION:	15 GALLON
RECOVERY TANK:	15 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	15 AMP PER CORD
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	98LBS.
MACHINE DIMENSIONS:	32" L X 23" W X 36" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10014
ITEM #: MACHINE, WAND, HOSE	05-10014-P



USPRODUCTS.COM



360.450.2712



NEPTUNE SERIES

NEPTUNE 220H CONTRACTORS SPECIAL

Designed for startup contractors, the Neptune 220H Contractors Special is a complete, carpet cleaning package that includes a Trident Wand and a 15' hose set. This professional grade portable extractor features dual 3-stage motors for powerful, deep heated cleaning. Lightweight and easy to maneuver, with 1000 watts of instant heat, 220 PSI, and 120" lift, it delivers thorough carpet cleaning while reducing drying times. Reliable, powerful, and easy to use, it's an ideal solution for contractors launching or expanding their cleaning business. Comes with a Trident Wand 13" and 15' Hose Set.

MACHINE SPECIFICATIONS

VACUUM:	SINGLE 5.7 3 STAGE MOTOR 120" LIFT 97 CFM
HEATER:	1000W
PUMP:	220 PSI ON DEMAND, DIAPHRAGM
SOLUTION:	15 GALLON
RECOVERY TANK:	15 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	20 AMP
POWER CORD:	SINGLE CORD 25' 12/3
WEIGHT:	98LBS.
MACHINE DIMENSIONS:	32" L X 23" W X 36" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE, WAND, HOSE	05-10004-HP1



USPRODUCTS.COM



360.450.2712



NEPTUNE SERIES

NEPTUNE 220C CONTRACTORS SPECIAL

The Neptune 220C Contractor's Special is created specifically for the startup professional, arriving as a complete, ready-to-work package with a Trident Wand and a 15' hose set. This professional grade portable extractor is lightweight and easy to use, offering the perfect balance of maneuverability and deep cleaning power. Featuring a single 3-stage motor with 120" of lift and a 220 PSI, it provides excellent extraction and fast drying times on every job. Designed for efficiency and simple operation, the Neptune 220C is the ideal choice for contractors looking to launch or expand their cleaning business with confidence.

MACHINE SPECIFICATIONS

VACUUM:	SINGLE 3 STAGE MOTOR 120" LIFT 97 CFM
PUMP:	220 PSI
SOLUTION:	15 GALLON
RECOVERY TANK:	15 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	15 AMP
POWER CORD:	SINGLE CORD 25' 12/3
WEIGHT:	92LBS
MACHINE DIMENSIONS:	32" L X 23" W X 36" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE, WAND, HOSE	05-10004-CP1



USPRODUCTS.COM



360.450.2712

U.S. PRODUCTS

QUALITY MADE IN THE USA

NEPTUNE SERIES

NEPTUNE 500H

The Neptune 500 is built to tackle any challenge, offering adjustable pressure from 50–500 PSI to handle everything from delicate upholstery to high-traffic commercial carpets. This professional-grade heated extractor features dual 3-stage motors, delivering fast response and reliable performance required for the most demanding environments. Despite its power, it remains lightweight and easy to use, allowing you to maintain maximum efficiency throughout the day. The Neptune 500 is available as a standalone unit or as a complete package with a 13" Trident Wand and a 15' hose set.

MACHINE SPECIFICATIONS


VACUUM:	DUAL 5.7 3 STAGE MOTORS 185" LIFT, 107 CFM
HEATER:	1750W
PUMP:	50-500 PSI ADJUSTABLE
SOLUTION:	15 GALLON
RECOVERY TANK:	15 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	15 AMP PER CORD
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	132 LBS.
MACHINE DIMENSIONS:	32" L X 23" W X 33" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10015
ITEM #: MACHINE, WAND, HOSE	05-10015-P



USPRODUCTS.COM



360.450.2712



PEGASUS SERIES

PEGASUS PRO 500H DV/DC

The Pegasus PRO 500H DV/DC is a high performance, multifaceted heated extractor. Built to be lightweight and easy to use, its versatile design allows crews to transition seamlessly between carpet and upholstery. Featuring adjustable 50–500 PSI paired with a 1750W in-line heater for instant, deep-cleaning power. Equipped with dual 3-stage top-mounted vacuum motors in parallel, the Pegasus PRO 500H delivers 200 CFM and 100" of lift, ensuring exceptional water recovery and fast drying times. Available with either a 1.5" or 2.0" inlet, this extractor can be purchased as a stand alone unit or as a complete package with a 13" Sharp Shooter Wand and a 25' hose set.

MACHINE SPECIFICATIONS

VACUUM:	DUAL TOP MOUNTED 5.7 3 STAGE MOTORS IN PARALLEL 200 CFM, 100" LIFT
HEATER:	1750W
PUMP:	50-500 PSI ADJUSTABLE
SOLUTION:	12 GALLON
RECOVERY TANK:	12.5 GALLON
SHUT OFF:	DUAL BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	15 AMP PER CORD
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	108 LBS.
MACHINE DIMENSIONS:	32" L X 24" W X 38.5" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10037
ITEM #: MACHINE, WAND, HOSE SET	05-10037-001



USPRODUCTS.COM



360.450.2712

U.S. PRODUCTS

QUALITY MADE IN THE USA

PEGASUS SERIES

PEGASUS PRO 500C DV/DC

The Pegasus PRO 500C DV/DC is a high-performance, multifaceted non heated extractor designed for the professional cleaner. Its versatile design is easy to use and allows crews to transition seamlessly between carpet and upholstery. The system features an adjustable 50–500 PSI pump and dual cords, providing flexibility and power. Equipped with dual 3-stage, top-mounted vacuum motors in parallel that deliver 200 CFM and 100" of lift, ensuring exceptional water recovery and fast drying times. Available with either a 1.5" or 2.0" inlet, it can be purchased as a standalone unit or as a complete package with a 13" Sharp Shooter Wand and a 25' hose set.

MACHINE SPECIFICATIONS


VACUUM:	DUAL TOP MOUNTED 5.7 3 STAGE MOTORS IN PARALLEL 200 CFM, 100" LIFT
PUMP:	50-500 PSI- ADJUSTABLE
SOLUTION:	12 GALLON
RECOVERY TANK:	12.5 GALLON
SHUT OFF:	DUAL BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	15 AMP PER CORD
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	108 LBS.
MACHINE DIMENSIONS:	32" L X 24" W X 38.5" H
ITEM #: MACHINE ONLY	05-10038
ITEM #: MACHINE, WAND, HOSE	05-10038-P



USPRODUCTS.COM



360.450.2712



PEGASUS SERIES

PEGASUS PRO 500C SV/SC

The Pegasus PRO 500C SV/SC is a powerful non-heated, multifaceted extractor with a single cord design. Engineered to be easy to use, this unit allows for efficient operation, letting crews switch quickly between carpet and upholstery without the need for multiple circuits. The adjustable 50–500 PSI pump paired with a high-performance single top mounted 3 stage motor in parallel provides 137" of lift and 107 CFM, resulting in excellent water recovery and rapid dry times. Available with a 1.5" or 2.0" inlet. Purchase this machine on its own or as a complete package with a 13" Sharp Shooter Wand and a 25' hose set.

MACHINE SPECIFICATIONS

VACUUM:	SINGLE TOP MOUNTED 5.7 3 STAGE MOTOR IN PARALLEL 137" LIFT, 107 CFM
PUMP:	50-500 PSI- ADJUSTABLE
SOLUTION:	12 GALLON
RECOVERY TANK:	12.5 GALLON
SHUT OFF:	BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	15 AMP
POWER CORD:	SINGLE CORD 25' 12/3
WEIGHT:	99 LBS.
MACHINE DIMENSIONS:	32" L X 24" W X 38.5" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10039
ITEM #: MACHINE, WAND, HOSE	05-1003-P



USPRODUCTS.COM



360.450.2712



PEGASUS SERIES

PEGASUS 1200

The Pegasus 1200 is a non-heated, multi-surface extractor designed to deliver high-performance results on various hard surface materials. Easy to use and engineered for maximum productivity, it features an adjustable 400–1200 PSI pump that ensures powerful cleaning and reduced drying times. Equipped with an auto-fill system and a 15 gallon per minute auto-dump capability. These features allow crews to operate continuously and cover large areas, completing more square footage in less time. Purchase the machine on its own or as a complete package with the Revolver Hard Surface Tool and a 25' hose set.

MACHINE SPECIFICATIONS


VACUUM:	DUAL TOP MOUNTED 5.7 3 STAGE MOTORS 200 CFM, 100" LIFT
PUMP:	400-1200 PSI ADJUSTABLE
SOLUTION:	12 GALLON AUTOFILL
RECOVERY TANK:	12.5 GALLON AUTO DUMP
SHUT OFF:	DUAL BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	15 AMPS CORD 1 20 AMPS CORD 2
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	135LBS
MACHINE DIMENSIONS:	32" L X 24" W X 46" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10036
ITEM #: MACHINE, WAND, HOSE	05-10036-P



USPRODUCTS.COM



360.450.2712



PEGASUS SERIES

PEGASUS PLATINUM 1350

The Pegasus Platinum 1350 was engineered for hard surfaces and long usage in high traffic commercial and industrial environments with stone, concrete, tile and grout flooring. With a Leeson 2HP AC motor, (typically used in truck mounts) and Cat Ceramic Plunger Pump, the Platinum is the only portable unit on the market that allows for 6,000 hours of runtime before requiring rebuild. With top mounted dual 5.7 3-stage vacuum motors mounted in parallel that produce 200 CFM and 100" of lift allowing for up to 150ft of hose length with excellent water recovery and dry time. The 15 GPM auto dump offers non-stop, high production hard surface cleaning. Purchase this machine on its own or as a package with the Revolver XP Hard Surface Tool and a 50' hose set.

MACHINE SPECIFICATIONS

VACUUM:	DUAL TOP MOUNTED 3 STAGE MOTORS IN PARALLEL 200 CFM, 100" LIFT
PUMP:	CAT CERAMIC PLUNGER PUMP 400-1350 PSI ADJUSTABLE
SOLUTION:	12 GALLON AUTOFILL
RECOVERY TANK:	12.5 GALLON AUTO DUMP
SHUT OFF:	DUAL BALL FLOAT
DRAIN:	DRAIN HOSE
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	15 AMPS CORD 1 20 AMPS CORD 2
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	150LBS
MACHINE DIMENSIONS:	32" L X 24" W X 46" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE ONLY	05-10040
ITEM #: MACHINE, REVOLVER & HOSE SET	05-10040-P1



USPRODUCTS.COM



360.450.2712



KRAKEN SERIES

KRAKEN 6.6 FLOOD PUMPER

The Kraken professional grade restoration flood extractor is the most powerful portable high volume water recovery system on the market. Easy to use and engineered for maximum efficiency, featuring dual 6.6 2-stage motors that deliver an incredible 136" of lift and 240 CFM. The vacuum motor and mufflers are designed for quiet operation, achieving a steady 53 gallon-per-minute dump rate through the included 50' hose. The Kraken requires only a 15-amp power supply, eliminating the need to search for 20-amp breakers. For versatile operation, it can function as a sump pump using only a single power cord. Available as a standalone machine with a 50' dump hose and 25' vacuum hose, or as a complete package including the Sharp Shooter 16" FEW Flood Wand.

MACHINE SPECIFICATIONS

VACUUM:	DUAL 6.6 2 STAGE MOTORS 240 CFM 136" LIFT
PUMP:	53 GPM DUMP RATE
DUMP HOSE CONNECTION:	BANJO QUICK RELEASE
RECOVERY TANK:	18 GALLON
SHUT OFF:	BALL FLOAT
FILTER BASKET	6" X 8" UNDER 2" VACUUM INLET
WHEELS:	4" FRONT CASTORS, 12" REAR NON-MARKING
AMP DRAW:	15 AMP PER CORD
POWER CORD:	DUAL CORD 25' 12/3
WEIGHT:	138LBS
MACHINE DIMENSIONS:	31" L X 22" W X 42" H
WARRANTY:	10 YEAR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS, 90 DAY LIMITED WEAR PARTS
ITEM #: MACHINE & HOSES	05-10035-001
ITEM #: MACHINE, WAND, HOSE SET	05-10035-002



USPRODUCTS.COM



360.450.2712



REVOLVER XP

REVOLVER XP HARD-SURFACE TOOL

Restore tile, grout, stone, smooth concrete, and other hard surfaces with U.S. Products' Revolver XP Hard Surface Cleaning Tool. Featuring a high-temperature, high-density polyethylene (HDPE) rotationally molded head, this tool combines durability with lightweight design. Ergonomic handles allow for smooth side-to-side and front-to-back cleaning motions, reducing operator fatigue. The Revolver XP excels at removing stubborn grime, oil, grease, and chemical residues with powerfull extraction. Compatible with both truck mounts and portable extractors, it's an essential tool for professional hard surface cleaning.

SPECIFICATIONS

DURABLE HDPE, CROSS-LINKED, ROTATIONAL MOLDED HEAD

#2 SPRAY JETS ON ROTATING ARM

12" CLEANING PATH

2" STAINLESS STEEL VACUUM ADJUSTABLE HEIGHT & ANGLE
TUBE WITH RELIEF SLIDE

QUICK RELEASE BRUSH RING AND HARD BOOT RING
INCLUDED

250 DEGREE HIGH-TEMP ROTARY UNION

DIMENSIONS: 57" X 25" X 7"

WEIGHT: 25LBS.

ITEM #: 05-10026-001



USPRODUCTS.COM



360.450.2712



SHARP SHOOTER EXTRACTOR WAND 13"

The Sharp Shooter 13" Carpet Wand is the go to extraction tool for professionals who need to clean large areas quickly and efficiently, offering smooth, effortless movement across surfaces. Designed for both portable and truck-mount operators, it features an advanced airflow dynamic head to maximize water recovery. Built with a powder coated 6061 T6 aluminum tube, a composite glide to reduce surface friction, a stainless steel manifold, and an inline filter positioned before the spray valve, the Sharp Shooter 13" combines durability, performance, and efficiency for professionalgrade results.

SPECIFICATIONS

DURRABLE ROTATIONALLY MOLDED HEAD
13" CLEANING PATH
POWDER COATED 1.5" 6061 T6 AIRCRAFT ALUMINUM TUBE
STAINLESS STEEL MANIFOLD - 2 JETS
INSTALLED: 2 EACH #1 SPRAY JETS FOR HIGH-PRESSURE CLEANING (300-500PSI)
SHIPS WITH: 2 EACH #1.5 SPRAY JETS FOR LOW-PRESSURE CLEANING (100-300PSI)
COMPOSITE GLIDE WITH AIRTIGHT GASKET SEAL
IN LINE CHECK VALVE LOCATED AT MANIFOLD
IN LINE FILTER LOCATED AT SPRAY VALVE
6.5LBS
WARRANTY: 5 YEAR ROTO-MOLDED HEAD, 90 DAY WEAR PARTS
ITEM#: 05-10030



USPRODUCTS.COM



360.450.2712



SHARP SHOOTER EXTRACTOR WAND 16"

Keep your carpets looking pristine with U.S. Products Sharp Shooter 16-inch Wand. This wand is designed specifically for the Truck Mount industry. The tear drop design in the wand manifold works to evenly distribute the vacuum suction across the glide for maximum water recovery and reduced carpet dry times. Its 16-inch wide head and 2-inch tube ensure exceptional airflow and suction performance. The Sharp Shooter 16" Wand is an ideal extraction tool for cleaning large carpet areas quickly and efficiently. Provides effortless movement across surfaces due to ergonomic design of head, tube and glide.

DURABLE ROTATIONALLY MOLDED HEAD
16" CLEANING PATH
2" POWDER COATED 6061 T6 AIRCRAFT ALUMINUM TUBE
STAINLESS STEEL MANIFOLD WITH 4 #1.5 JETS
IN-LINE CHECK VALVE LOCATED AT MANIFOLD
IN LINE FILTER LOCATED AT SPRAY VALVE
REPLACEABLE GLIDE WITH GASKET SEAL
2700 PSI PRESSURE LINE
8.5LBS
WARRANTY: 5 YEAR ROTO-MOLDED HEAD, 90 DAY WEAR PARTS
ITEM#: 05-10031



USPRODUCTS.COM



360.450.2712



SHARP SHOOTER (FEW) FLOOD EXTRACTOR WAND 16"

The Sharp Shooter FEW Flood Extractor Wand 16" is engineered for restoration and flood recovery applications, delivering exceptional suction when paired with a truck mount or flood extraction system. Its wide 16" head and 2" tube maximize airflow for superior water removal. Designed to increase airflow velocity, this wand enhances extraction efficiency and significantly reduces drying time, helping restoration professionals complete jobs faster and more effectively.

SPECIFICATIONS

DURABLE ROTATIONALLY MOLDED HEAD
16" EXTRACTION PATH
2" POWDER COATED 6061 T6 AIRCRAFT ALUMINUM TUBE
REPLACEABLE COMPOSITE GLIDE WITH GASKET SEAL
ADJUSTABLE STAINLESS STEEL HANDLE
5.5LBS
WARRANTY: 5 YEAR ROTO-MOLDED HEAD, 90 DAY WEAR PARTS
ITEM#: 05-10031-002



USPRODUCTS.COM



360.450.2712

TRIDENT WAND 13"

The durable Trident Carpet Wand is lightweight, and tough. The Trident Wand includes dual #1 spray jets inside the rotationally molded head with a 13-inch cleaning path, and an ergonomic anodized 6061 T6 aircraft aluminum vacuum tube. The Trident Wand has a replaceable glide and includes a stainless steel manifold, gasket seal, adjustable handle, and fixed stainless steel pressure line for easy, fast, efficient extraction. Provides effortless movement across surfaces due to the ergonomic design of head, tube, and glide.

SPECIFICATIONS

DURABLE ROTATIONALLY MOLDED HEAD
13" CLEANING PATH
POWDER COATED 6061 T6 AIRCRAFT ALUMINUM TUBE
STAINLESS STEEL DUAL JET MANIFOLD
INSTALLED: 2 EACH #1 SPRAY JETS
COMPOSITE GLIDE WITH GASKET SEAL
CHECK VALVE INSTALLED PRIOR TO MANIFOLD
6LBS
10YR LIMITED HOUSING, 2 YEAR MAJOR COMPONENTS
ITEM#: 05-10024-003






TRIDENT (FEW) FLOOD EXTRACTOR WAND 13"

The Trident (FEW) Flood Extractor Wand is a high-performance suction tool for use in carpet, flooring and restoration water removal situations. The Trident water extractor is built with a durable, rotationally molded head, weighs only 3.5 lbs, has a 13-inch cleaning path, an anodized 6061 T6 aircraft aluminum vacuum tube, adjustable stainless steel handle, and a replaceable Glide. Provides effortless movement across surfaces due to the ergonomic design of head, tube, and glide.

SPECIFICATIONS

DURABLE ROTATIONALLY MOLDED HEAD
13" CLEANING PATH
POWDER COATED 6061 T6 AIRCRAFT ALUMINUM TUBE
REPLACEABLE COMPOSITE GLIDE WITH GASKET SEAL
ADJUSTABLE STAINLESS STEEL HANDLE
3.5LBS
WARRANTY: 2 YEAR ROTO-MOLDED HEAD, 90 DAY WEAR PARTS
ITEM#: 05-10024-004



USPRODUCTS.COM



360.450.2712



TRIDENT UPH UPHOLSTREY TOOL 4"

U.S. Products Trident (UPH) Upholstery Tool is scientifically designed to reduce operator fatigue while delivering superior water recovery. Its ergonomic design allows operators to maintain a comfortable working position throughout the cleaning process. Built for upholstery cleaning, auto, RV, and boat detailing, as well as hard to reach areas, the Trident UPH offers exceptional versatility. Compatible with any portable extractor or truck mount system.

SPECIFICATIONS

DURABLE ROTATIONALLY MOLDED HEAD
4" CLEANING PATH
SINGLE #2 SPRAY JET
1.5LBS
REPLACEABLE GLIDE
WARRANTY: 5 YEAR ROTO-MOLDED HEAD, 90 DAY WEAR PARTS
ITEM #: 05-10022
ITEM # WITH HOSE SET: 05-10022-002



Order Today from
www.johnson-wholesale.com

usproducts.com



360.450.2712